MINERVA

FASHIONS IN HAND KNITS



VOLUME 76

TWO-TONE TRAVELER

No. 7600

(shown on front cover) Instructions page 22

Classic symmetry in a perfect dress and jacket pictured against a rare piece of XVIII Dynasty sculpture in the Metropolitan Museum's Egyptian Galleries.

EMPIRE SILHOUETTE

No. 7601

Instructions page 23

The French Empire influence in costuming blends into the mood of an historic eighteenth century Parisian shop front in a corner of the Museum's Louis XVI collections.

MARY LOUISE CUSTIS

Fashion Director

Jewels and accessories by Black, Starr & Gorham

Hats by John Frederics Inc.

Color photographs taken in The Metropolitan Museum of Art by Conant-Bradley

PRINTED IN U. S. A. FIRST EDITION COPYRIGHT 1948—JAMES LEES AND SONS COMPANY

SOUTHERN HOLIDAY

No. 7602

This three-piece ensemble, with coat of Forstmann wool and two-piece dress of dyed-to-match Minerva Yarn makes a splash of color in a setting of pre-revolutionary treasures wrought by early Pennsylvania-German craftsmen.

TWO-PIECE DRESS
Designed by AUDREA of Hollywood
Sizes 12, 14 and 16
original knitted of Minerva Sports Yarn
dyed to match FORSTMANN FABRICS
Forstmann Coat, VOGUE PATTERN No. 6347

MATERIALS REQUIRED:

Minerva Sports Yarn (2 ounce ball)

	Size 12	Size 14	Size 16
Mexicana No. 1437 (Color 1)	10 Balls	11 Balls	12 Balls
White No. 1400 (Color 2)	1 Ball	1 Ball	1 Ball

OR

Minerva Fingering Yarn (2 ounce skein)

	Size 12	Size 14	Size 16
Color 1	10 Skeins	11 Skeins	12 Skeins
Color 2	1 Skein	1 Skein	1 Skein

OR

Minerva Featherdown (1 ounce ball)

	Size 12	Size 14	Size 16
Color 1	15 Balls	17 Balls	18 Balls
Color 2	2 Balls	2 Balls	2 Balls

Knitting Needles: 1 Pair Standard Size 3—14 inch
1 Steel Circular Skirt Needle Standard Size 3—29 inch

Gauge: 8 Sts. to 1 inch
1 Steel Crochet Hook Size 2

This garment can also be made in Minerva Velveen or Stylaine, using Size 2 Needles. For yarn amounts see page 32.

Sizes:	**12**	**14**	**16**

P. side is right side of work on entire garment.

SKIRT: With Mexicana and Circular Needle cast on
390 Sts. 400 Sts. 420 Sts.
join, being careful not to twist Sts. P. around until work measures 6 inches from start (for 32 inch Skirt; for shorter or longer Skirt make adjustments). Next row decrease 10 Sts. around as follows:
*P.37 *P.38 *P.40
P.2 together, repeat from * 9 times more. Continue to decrease 10 Sts. (having 1 St. less between decreases every decreasing row) every 3 inches 4 times more, then every 1 inch 7 times.

Sts. on Needle: (Hipline—25 inches from start),
270 Sts. 280 Sts. 300 Sts.
Continue to decrease 10 Sts. every inch 5 times more. Work 1 inch, then decrease
10 Sts. 10 Sts. 20 Sts.
around.
Sts. on Needle: 210 Sts. 220 Sts. 230 Sts.
When Skirt measures 32 inches (or desired length) from start, work in Ribbing of K.1, P.1, for 1½ inches, bind off.

Work casing (see page 33) for elastic at inside of waist. Work 2 rows of S. C. around lower edge of Skirt.

PATTERN STITCH: (Multiple of 14 Sts. plus 13)
Row 1—P.6, *K.1, P.13, repeat from * across, ending K.1, P.6.
Row 2—K.6, *P.1, K.13, repeat from * across, ending P.1, K.6.
Repeat Rows 1 and 2, four times more.
Row 11—*P.13, K.1, repeat from * across, ending P.13.
Row 12—*K.13, P.1, repeat from * across, ending K.13.
Repeat Rows 11 and 12, four times more. Repeat from Row 1 for Pattern.
With White work Ch. St. in Vertical Lines.

BLOUSE — BACK: With Mexicana and Straight Needles cast on
125 Sts. 133 Sts. 141 Sts.
Work in Pattern St., working first row as follows:
P.6 P.10 P.14
*K.1, P.13, repeat from * across, ending K.1,
P.6 P.10 P.14
Continue in this manner, decreasing 1 St. each side every ½ inch 11 times (being careful to keep Pattern even). When work measures 6½ inches from start, increase 1 St. each side every ½ inch 13 times.
Sts. on Needle: 129 Sts. 137 Sts. 145 Sts.

When work measures
14" 14" 14½"
from start (or desired length to underarm),
To Shape Armholes: Bind off 8 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 8 times.

(continued on page 21)

CITY PASTEL

No. 7603

The luxury of this softly tiered dress glows with a lustre of its own against a panel of Egyptian Sun God carvings from ancient Thebes.

ONE-PIECE DRESS
Sizes 12, 14 and 16

MATERIALS REQUIRED:

Minerva Velveen (1 ounce ball)

	Size 12	Size 14	Size 16
Pearl No. 1103	30 Balls	33 Balls	36 Balls

OR

Minerva Stylaine (1 ounce ball)

Size 12	Size 14	Size 16
37 Balls	40 Balls	43 Balls

OR

Minerva Monterey (1 ounce skein)

Size 12	Size 14	Size 16
37 Skeins	40 Skeins	43 Skeins

Knitting Needles: 1 Steel Circular Skirt Needle Standard Size 1—29 inch
1 Pair Standard Size 1—14 inch

Gauge: 9 Sts. to 1 inch

This garment can also be made in Minerva Fingering Yarn, Featherdown or Sports Yarn, using Size 2 Needles. For yarn amounts see page 32.

Sizes:	12	14	16

SKIRT—BACK: With Circular Needle cast on
228 Sts. 236 Sts. 244 Sts.

Work back and forth in Stockinette St. for 1 inch. P.1 row on right side for turn of hem, then continue in Stockinette St. for 7 inches even (for 32 inch Skirt for shorter or longer Skirt make adjustments).

Next row decrease 5 Sts. as follows: K.23, *K.2 together,
K.43 K.45 K.47
repeat from * across, ending K.2 together, K.23.

Work even for 3½ inches, then decrease as before (having 1 St. less between decreases). Work 2 inches even, decrease as before, then decrease every 1¾ inches 6 times, then every inch 4 times.

Sts. on Needle: 163 Sts. 171 Sts. 179 Sts.

Work ¼ inch, break yarn. With Straight Needles cast on same number of Sts., work in Moss St. (see page 33) for 2¼ inches for tier. To K. tier onto Skirt, place Straight Needle with tier Sts. in front of Circular Needle with Skirt Sts. (right side facing) and slip 1 St. from each needle alternately across row onto Circular Needle, then K.2 together across row.

Sts. on Needle: 163 Sts. 171 Sts. 179 Sts.

Continue to decrease 5 Sts. every 1 inch 4 times more, at the same time work another tier (2 inches in Moss St.) 2 inches from first tier, work the third tier (1¾ inches in Moss St.) 1¾ inches from second tier.

Sts. on Needle: 143 Sts. 151 Sts. 159 Sts.

Work decreases for waist ½ inch above third tier as follows:

K.4 K.8

*K.2 together, K.8, repeat from * across row, ending K.2 together,

K.1 K.5 K.9

Next row:

P.128 P.136 P.144

Next row:

K.3 K.7 K.11

*K.2 together, K.6, repeat from * across row, ending K.2 together,

K.3 K.7 K.11

When work measures 32 inches (or desired length) from P. row of hem, bind off.

SKIRT—FRONT: Work same as Back, placing tiers in same position.

For first set of tiers cast on
64 Sts. 68 Sts. 72 Sts.

Work in Moss St. for 2¼ inches, then starting at side edge work tier in as on Back of Skirt, K. 35 Sts. at center of Skirt, then work another tier on last
64 Sts. 68 Sts. 72 Sts.

For second set of tiers work tier on first and last
61 Sts. 65 Sts. 69 Sts.

For third set of tiers work tier on first and last
58 Sts. 62 Sts. 66 Sts.

BLOUSE—BACK: With Straight Needles cast on
103 Sts. 111 Sts. 119 Sts.

Work in Stockinette St., increasing 1 St. each side every 4th row 20 times, at the same time when work measures 4½ inches from start, work first tier (casting on same number of Sts. as on Back and work in Moss St. for 2¼ inches) as on Back of Skirt. Work second tier 2 inches from first tier.

When work measures (from start)
8″ 8″ 8½″

Sts. on Needle: 143 Sts. 151 Sts. 159 Sts.

(continued on page 26)

V-LINE SPECTATOR

No. 7604

This graceful long-torso costume is in harmony with the atmosphere of early nineteenth century elegance created here by Duncan Phyfe.

TWO-PIECE DRESS
Designed by AUDREA of Hollywood
Sizes 12, 14 and 16
original knitted of Minerva Velveen

MATERIALS REQUIRED:

Minerva Velveen (1 once ball)

	Size 12	Size 14	Size 16
Rubens No. 1113 (Color 1)	24 Balls	27 Balls	30 Balls
California Citron No. 1108 (Color 2)	2 Balls	2 Balls	2 Balls
Saracen No. 1118 (Color 3)	1 Ball	1 Ball	1 Ball

OR

Minerva Stylaine (1 ounce ball)

	Size 12	Size 14	Size 16
Color 1	29 Balls	32 Balls	36 Balls
Color 2	3 Balls	3 Balls	3 Balls
Color 3	1 Ball	1 Ball	1 Ball

OR

Minerva Monterey (1 ounce skein)

	Size 12	Size 14	Size 16
Color 1	29 Skeins	32 Skeins	36 Skeins
Color 2	3 Skeins	3 Skeins	3 Skeins
Color 3	1 Skein	1 Skein	1 Skein

Knitting Needles: 1 Pair Steel Standard Size 0 — 12 inch
1 Steel Circular Skirt Needle Standard Size 1—29 inch

Gauge: 10 Sts. to 1 inch (Size 0 Needles)
9 Sts. to 1 inch (Size 1 Needles)

1 Steel Crochet Hook Size 4

Sizes:	**12**	**14**	**16**

SKIRT: With Circular Skirt Needle and Rubens cast on

609 Sts. 630 Sts. 651 Sts.

Join, being careful not to twist Sts.

Row 1—*K.19, P.2, repeat from * around.

Row 2—*K.9, slip 1, K.9, P.2, repeat from * around.

Repeat Rows 1 and 2 for 3 inches.

On next Row 2 of Pattern St. decrease 1 St. (K.2 together through back of St.) before each slip St., decreasing

29 Sts. 30 Sts. 31 Sts.

Next Row 1—*K.18, P.2, repeat from * around.

Row 2—*K.8, slip 1, K.9, P.2, repeat from * around.

Repeat last 2 rows for 2 inches.

On next Row 2 of Pattern decrease 1 St. (K.2 together through front of Sts.) after each slip St., decreasing

29 Sts. 30 Sts. 31 Sts.

Next Row 1—*K.17, P.2, repeat from * around.

Row 2—*K.8, slip 1, K.8, P.2, repeat from * around.

Continue to decrease in this manner (alternating decreases) every 3 inches 2 times more, every 2 inches 6 times, then every 1½ inches 3 times.

Sts. on Needle: 232 Sts. 240 Sts. 248 Sts.

When Skirt measures 32 inches (or desired length), work in Ribbing of K.1, P.1, for 1¼ inches, bind off in Ribbing.

Crochet casing (see page 33) for elastic inside of Ribbing. Work 1 row of S. C. around lower edge of Skirt.

Wind 2 balls or bobbins of each color.

BLOUSE — FRONT: With Straight Needles and Rubens cast on

153 Sts. 163 Sts. 173 Sts.

Decrease 1 St. each side every inch 6 times and at the same time when work measures 2 inches from start, place 1 marker 44 Sts. from each end. Decrease 1 St. each side of each of the 2 markers (decreasing 4 Sts.), then every inch 4 times more.

Sts. on Needle: 121 Sts. 131 Sts. 141 Sts.

When work measures 6 inches from start, start Stripes at center of Front as follows:

Row 1—With Rubens K. across to Center St., join California Citron, K. Center St. with California Citron, with Rubens K. to end of row (always twist the 2 strands when changing color).

Row 2—With Rubens P. to 3 Center Sts., P.3 Sts. at center with California Citron, join second ball of Rubens, P. to end of row.

Continue to work 2 Sts. more at center with California Citron until there are 11 California Citron Sts. on Row 6.

(continued on page 27)

THE TEXTURED LOOK
No. 7605

This rich carved-in-wool effect in lustrous gray-beige has a distinction of its own amid the stately pageantry of historic armorplate in the Museum's Renaissance collection.

ONE-PIECE DRESS
Sizes 12, 14 and 16

MATERIALS REQUIRED:

Minerva Monterey (1 ounce skein)

Size 12	Size 14	Size 16
Miami Beige No. 311		
26 Skeins	29 Skeins	32 Skeins

OR

Minerva Velveen (1 ounce ball)

Size 12	Size 14	Size 16
22 Balls	25 Balls	27 Balls

OR

Minerva Stylaine (1 ounce ball)

Size 12	Size 14	Size 16
26 Balls	29 Balls	32 Balls

Knitting Needles: 1 Pair Standard Size 3—14 inch
1 Steel Circular Skirt Needle
Standard Size 3—29 inch

Gauge: 7 Sts. to 1 inch
1 Steel Crochet Hook Size 2

Sizes:	**12**	**14**	**16**

SKIRT: With Circular Needle cast on
370 Sts. 380 Sts. 400 Sts.

Join, being careful not to twist Sts. P. around (right side) for 3 inches (for 32 inch Skirt; for shorter or longer Skirt make adjustments). Next row decrease 10 Sts. as follows:

* *P.35 *P.36 *P.38

P.2 together, repeat from * around. Decrease 10 Sts. in this manner (having 1 St. less between decreases every decreasing row) every 2 inches 10 times more, then every inch 2 times.

Sts. on Needle: (Hipline—25 inches from start)
240 Sts. 250 Sts. 270 Sts.

Continue to decrease 10 Sts. every 1 inch 5 times more. Work 1 inch even, then decrease
10 Sts. 10 Sts. 20 Sts.
on next row.

Sts. on Needle: 180 Sts. 190 Sts. 200 Sts.

When Skirt measures 32 inches (or desired length), bind off.

Popcorn Cluster: (Multiple of 5 Sts.)

Row 1—P.

Row 2—(Wrong side of work) K.2, work 7 loops in next St. for Popcorn (K. in front and back of same St.), K.2.

Row 3—P.2, K.7 loops together (pull Popcorn through to right side), P.2 (1 Popcorn).

Row 4—*K.1, work Popcorn in next St., repeat from * once, K.1.

Row 5—*P.1, K.7 loops together, repeat from * once, P.1 (2 Popcorns).

Row 6—*Work Popcorn, K.1, repeat from * once, work Popcorn in next St.

Row 7—*K.7 loops together, P.1, repeat from * once, K.7 loops together (3 Popcorns).

Popcorn Border St. (Multiple of 8 Sts.)

Row 1—(Wrong side) *K.1, K.7 loops in next St., repeat from * 3 times more.

Row 2—*K.7 loops together (draw Popcorn to right side), P.1, repeat from * 3 times more.

Row 3—*K.7 loops in next St., K.1, repeat from * 3 times more.

Row 4—*P.1, K.7 loops together, repeat from * 3 times more.

BLOUSE—BACK: With Straight Needles cast on
91 Sts. 99 Sts. 107 Sts.

then work as follows:

Row 1—P. (right side).

Row 2— K.5 K.9 K.13

*work 1 Popcorn in next St., K.19, repeat from * 3 times more, work 1 Popcorn in next St.,
K.5 K.9 K.13

Work first set of Popcorn Clusters in this manner, increasing 1 St. each side on Row 7.

On Row 8 start second set of Popcorn Clusters as follows:

K.16 K.20 K.4

*work 1 Popcorn in next St., K.19, repeat from * across, ending work 1 Popcorn in next St.,
K.16 K.20 K.4

Work second set of Popcorn Clusters in this manner and continue to increase 1 St. each side every ¾ inch 9 times more (adding 1 more Popcorn Cluster each side, where possible).

Sts. on Needle: 111 Sts. 119 Sts. 127 Sts.

When work measures 9 inches from start,

(continued on page 28)

CANYON COLORS
No. 7606

A contemporary American classic in sunset tones – posed near a Greek classic column from the ancient Temple of Artemis at Sardis.

TWO-PIECE SUIT
Sizes 12, 14 and 16

MATERIALS REQUIRED:

Minerva Sports Yarn (2 ounce ball)

	Size 12	Size 14	Size 16
Red Wine No. 1423 (Color 1)	7 Balls	8 Balls	9 Balls
Light Navy No. 1420 (Color 2)	2 Balls	2 Balls	2 Balls
White No. 1400 (Color 3)	1 Ball	1 Ball	1 Ball
Pearl No. 1425 (Color 4)	1 Ball	1 Ball	1 Ball

OR

Minerva Fingering Yarn (2 ounce skein)

	Size 12	Size 14	Size 16
Color 1	7 Skeins	8 Skeins	9 Skeins
Color 2	2 Skeins	2 Skeins	2 Skeins
Color 3	1 Skein	1 Skein	1 Skein
Color 4	1 Skein	1 Skein	1 Skein

OR

Minerva Featherdown (1 ounce ball)

	Size 12	Size 14	Size 16
Color 1	11 Balls	12 Balls	13 Balls
Color 2	3 Balls	3 Balls	3 Balls
Color 3	1 Ball	1 Ball	1 Ball
Color 4	1 Ball	1 Ball	1 Ball

Knitting Needles: 1 Pair Standard Size 3—14 inch
1 Steel Circular Skirt Needle
Standard Size 3—29 inch

Gauge: 8 Sts. to 1 inch
1 Steel Crochet Hook Size 5

Sizes:	**12**	**14**	**16**

SKIRT: With Red Wine and Circular Needle cast on
500 Sts. 500 Sts. 520 Sts.

Join, being careful not to twist Sts. K. even for
4″ 5″ 5″

(for 32 inch Skirt; for shorter or longer Skirt make adjustments).

Next row decrease 10 Sts. as follows:
*K.48 *K.48 *K.50

K.2 together, repeat from * around. Repeat decreases every inch (having 1 St. less between decreases every decreasing row)
21 times 20 times 20 times

more (hipline—25 inches from start or desired length, allowing 7 inches to waistline).

Sts. on Needle: 280 Sts. 290 Sts. 310 Sts.

Work even for 2 inches, decrease 10 Sts. as before, then every ½ inch
6 times 6 times 7 times

more.

Sts. on Needle: 210 Sts. 220 Sts. 230 Sts.

When Skirt measures 32 inches (or desired length), bind off loosely. Work 2 rows of S. C. at top edge, then work casing for elastic (casing see page 33). Work 3 rows of S. C. around lower edge.

STRIPE PATTERN (Worked in Stockinette St.):
Red Wine—6 rows
Pearl—2 rows
Light Navy—2 rows
White—2 rows
Light Navy—2 rows
Pearl—2 rows
Red Wine—2 rows
White—2 rows
Light Navy—4 rows
White—2 rows
Red Wine—2 rows
Pearl—2 rows
Light Navy—2 rows
White—2 rows
Light Navy—2 rows
Pearl—2 rows
Repeat Stripe Pattern from Row 1.

JACKET—BACK: On Straight Needles cast on
132 Sts. 140 Sts. 148 Sts.

Work in Stripe Pattern for 1 inch even. Decrease 1 St. each side, then every ¾ inch 8 times more.

Sts. on Needle: 114 Sts. 122 Sts. 130 Sts.

When work measures 8 inches from start, increase 1 St. each side, then every ½ inch 10 times more.

Sts. on Needle: 136 Sts. 144 Sts. 152 Sts.

When work measures 16 inches from start (measured straight),

(continued on page 29)

NIGHT AND DAY

No. 7607

Dramatic effect in a timeless dress for daytime or evening, shown in the Metropolitan Museum's Galleries of ancient Etruscan Art.

ONE-PIECE DRESS
Designed by AUDREA of Hollywood
Sizes 12, 14, 16 and 18
original knitted of Minerva Velveen

MATERIALS REQUIRED:

Minerva Velveen (1 ounce ball)

	Size 12	Size 14	Size 16	Size 18
Black No. 1114 (Color 1)	22 Balls	23 Balls	25 Balls	27 Balls
China Turquoise No. 1105 (Color 2)	1 Ball	1 Ball	1 Ball	1 Ball
California Citron No. 1108 (Color 3)	1 Ball	1 Ball	1 Ball	1 Ball
Mexicana No. 1126 (Color 4)	1 Ball	1 Ball	1 Ball	1 Ball
Gold Thread (fine)	2 Skeins	2 Skeins	2 Skeins	2 Skeins

OR

Minerva Stylaine (1 ounce ball)

	Size 12	Size 14	Size 16	Size 18
Color 1	27 Balls	28 Balls	30 Balls	32 Balls
Color 2	1 Ball	1 Ball	1 Ball	1 Ball
Color 3	1 Ball	1 Ball	1 Ball	1 Ball
Color 4	1 Ball	1 Ball	1 Ball	1 Ball
Gold Thread	2 Skeins	2 Skeins	2 Skeins	2 Skeins

Knitting Needles: 1 Pair Standard Size 1—14 inch
1 Steel Circular Skirt Needle
Standard Size 2—29 inch

Gauge: 8 Sts. to 1 inch (Size 2 Needles)
9 Sts. to 1 inch (Size 1 Needles)

1 Steel Crochet Hook Size 2

Sizes:	**12**	**14**	**16**	**18**

SKIRT: On Circular Needle cast on
570 Sts. 570 Sts. 580 Sts. 580 Sts.

Join, being careful not to twist Sts. K. around for 4 inches (for 32 inch Skirt; for shorter or longer Skirt make adjustments). Decrease 20 Sts. on next row by
K.26 K.26 K.27 K.27
K.2 together, around.

Continue to decrease 20 Sts. in this manner (having 1 St. less between decreases after each decreasing row) every 2 inches
10 times 10 times 10 times 11 times
then every inch
7 times 6 times 6 times 5 times
then decrease 10 Sts. (by decreasing over every other decrease) every inch
. . . . . 1 time 1 time . . . . .
Sts. on Needle:
210 Sts. 220 Sts. 230 Sts. 240 Sts.
Divide Sts. in half, leaving
105 Sts. 110 Sts. 115 Sts. 120 Sts.
on Circular Needle for Front of Blouse.

Work remaining Sts. with Size 1 Needles for Back of Blouse.
Increase across next row to
128 Sts. 136 Sts. 144 Sts. 152 Sts.
Work increases at each side as follows: (To work in Flowers see instructions below) Increase 1 St. each side every eighth row 9 times, then every fourth row 3 times.
Sts. on Needle:
152 Sts. 160 Sts. 168 Sts. 176 Sts.

When work measures
6½″ 6½″ 7″ 7″
(from separation of Sts.), increase 1 St. each side every row 14 times. Place marker at each side to indicate start of armhole. Increase 1 St. each side every tenth row 10 times.

When armhole measures
8½″ 8½″ 9″ 9″
(measured straight from marker),

To Shape Shoulders: Bind off
20 Sts. 21 Sts. 22 Sts. 23 Sts.
at beginning of each of the next 6 rows, then
22 Sts. 23 Sts. 23 Sts. 24 Sts.
at beginning of next 2 rows. Bind off remaining Sts. for back of neck.

FLOWERS: K. in Flowers on Back of Blouse from Chart (see page 30), working with 1 strand of Color and 1 strand of Gold Thread. Start first group of Flowers on same row as third increase, starting first stem in
31st St. 35th St. 39th St. 43rd St.
from edge. Start 2 more stems on this row, having 35 Sts. between. Work second group of Flowers 2¼ inches above last row of first group, having 4 Flowers across. Work 2 more groups of Flowers in same manner, having 5 Flowers in third group and 6 Flowers in fourth group, alternating colors.

(continued on page 29)

YOUNG MODERN
No. 7608

A sophisticated dress with horizontal stripes—shown in a colorful corner of an eighteenth century Massachusetts room in the Museum's American wing.

ONE-PIECE DRESS
Sizes 12, 14 and 16

MATERIALS REQUIRED:

Minerva Stylaine (1 ounce ball)

	Size 12	Size 14	Size 16
Tropic Pink No. 1282 (Color 1)	27 Balls	30 Balls	33 Balls
Black No. 1291 (Color 2)	2 Balls	2 Balls	2 Balls

OR

Minerva Velveen (1 ounce ball)

	Size 12	Size 14	Size 16
Color 1	23 Balls	26 Balls	28 Balls
Color 2	2 Balls	2 Balls	2 Balls

OR

Minerva Monterey (1 ounce skein)

	Size 12	Size 14	Size 16
Color 1	27 Skeins	30 Skeins	33 Skeins
Color 2	2 Skeins	2 Skeins	2 Skeins

Knitting Needles: 1 Pair Standard Size 3—14 inch

Gauge: 7 Sts. to 1 inch

1 Steel Crochet Hook Size 2

This garment can also be made in Minerva Fingering Yarn, or Sports Yarn, using Size 4 Needles. For yarn amounts see page 32.

Sizes:	**12**	**14**	**16**

SKIRT—BACK: With Tropic Pink cast on
206 Sts. 220 Sts. 234 Sts.

K. 2 rows, then work in Stockinette St. for 2 inches, decrease 1 St. each side, then every 2 inches 14 times more, at the same time when work measures 18 inches (for 32 inch Skirt; for shorter or longer Skirt make adjustments), work Stripe Pattern as follows: *With Black K. 2 rows, with Tropic Pink work 8 rows in Stockinette St., repeat from * 7 times more, then with Black K. 2 rows. With Tropic Pink work in Stockinette St. until work measures 32 inches from start.

Sts. on Needle: 176 Sts. 190 Sts. 204 Sts.

Next row K.2 together across row, bind off. Work Front same as Back.

Sew side seams, leaving 4 inches open at left side for placket. Work 6 rows of S. C. at waist, drawing in to fit.

BLOUSE—BACK: With Tropic Pink cast on
88 Sts. 95 Sts. 102 Sts.

Work in Stockinette St., increasing 1 St. each side every ½ inch 15 times, at the same time when work measures 2½ inches, work Stripe Pattern as on Skirt for 5 Black Stripes. Continue in Stockinette St. until work measures 8 inches from start.

Sts. on Needle: 118 Sts. 125 Sts. 132 Sts.

To Shape Armholes: Bind off 6 Sts. at beginning of each of the next 2 rows, then 3 Sts. at the beginning of each of the next 2 rows, then decrease 1 St. each side.

Sts. on Needle: 98 Sts. 105 Sts. 112 Sts.

When work measures 3 inches from last Black Stripe, work a second group of 4 Black Stripes.

When armhole measures
7½″ 7½″ 8″
(measured straight from bound-off Sts. at underarm),

To Shape Shoulders: Bind off
10 Sts. 11 Sts. 12 Sts.
at beginning of each of the next 6 rows. Slip remaining Sts. on St. Holder for Collar.

FRONT: Work same as Back to end of first group of Stripes. Next row divide Sts. for front opening: Work across to 7 Sts. from center, slip these Sts. on St. Holder, then work Right Front.

When work measures same as Back to underarm,

To Shape Armhole: Bind off 6 Sts. at side edge, then 3 Sts. at same edge, then decrease 1 St.

Work second group of 4 Black Stripes to correspond with Stripes on Back, starting in seventeenth St. from center edge.

When armhole measures same as at Back,

To Shape Shoulder: Bind off
10 Sts. 11 Sts. 12 Sts.
at armhole edge every other row 3 times, slip remaining Sts. on St. Holder for Collar. Slip Sts. of Left Front onto needle, cast on 14 Sts. at center edge for underlap and work to correspond with Right Front.

COLLAR: Slip Sts. at back of neck onto needle, working in Stockinette St. pick up 3 Sts. at end of each row from Sts. of each Front until all Sts. are picked up, bind off.

(continued on page 30)

METROPOLITAN CLASSIC
No. 7609

The mellow wood tones of four eighteenth century American paintings point up the simplicity and charm of this two-piece costume with its knit houndstooth check.

CHECKED TWO-PIECE SUIT
Sizes 14, 16 and 18

MATERIALS REQUIRED:

Minerva Heather Sports Yarn (2 ounce ball)

	Size 14	Size 16	Size 18
Malabar No. 1482 (Dark Color)	10 Balls	11 Balls	12 Balls
Natural No. 1480 (Light Color)	4 Balls	5 Balls	5 Balls

OR

Minerva Sports Yarn (2 ounce ball)

	Size 14	Size 16	Size 18
Dark Color	10 Balls	11 Balls	12 Balls
Light Color	4 Balls	5 Balls	5 Balls

OR

Minerva Fingering Yarn (2 ounce skein)

	Size 14	Size 16	Size 18
Dark Color	10 Skeins	11 Skeins	12 Skeins
Light Color	4 Skeins	5 Skeins	5 Skeins

Knitting Needles: 1 Pair Standard Size 3—14 inch
1 Steel Circular Skirt Needle Standard Size 3—29 inch

Gauge: 8 Sts. to 1 inch (Stockinette St.)
9 Sts. to 1 inch (Pattern St.)

1 Steel Crochet Hook Size 2

This garment can also be made in Minerva Monterey, using Size 2 Needles. For yarn amounts see page 32.

Sizes:	**14**	**16**	**18**

SKIRT: With Malabar and Circular Needle cast on 496 Sts. 512 Sts. 528 Sts.

Join, being careful not to twist Sts.

Row 1— *K.122 *K.126 *K.130

P.2, repeat from * 3 times more (4 Panels). Repeat Row 1 for 5 inches (for 32 inch Skirt; for shorter or longer Skirt make adjustments). Decrease 12 Sts. on next row by decreasing 3 Sts. in each K. Panel as follows: *K.29 *K.30 *K.31

K.2 together, repeat from * 2 times more
K.29 K.30 K.31

Decrease 12 Sts. every 1¼ inches (having 1 St. less between decreases every decreasing row) 17 times more, then every ½ inch 6 times.

Sts. on Needle: 208 Sts. 224 Sts. 240 Sts.

When Skirt measures 32 inches (or desired length), bind off.

Work 3 rows of S. C. around lower edge of Skirt. Work 5 rows of S. C. around waist, then crochet casing for elastic at inside of S. C. band (casing see page 33).

PATTERN STITCH: (Multiple of 4 Sts.)

Row 1—With Malabar K.2, *with Natural K.1, Malabar K.3, repeat from * across, ending Natural K.1, Malabar K.1.

Row 2—*Malabar P.1, Natural P.3, repeat from * across.

Row 3—*Malabar K.1, Natural K.3, repeat from * across.

Row 4—Malabar P.2, *Natural P.1, Malabar P.3, repeat from * across, ending Natural P.1, Malabar P.1.

Repeat these 4 rows for Pattern.

JACKET — BACK: With Malabar and Straight Needles cast on
152 Sts. 160 Sts. 168 Sts.

Work even in Pattern St. for 1 inch. Decrease 1 St. each side, then decrease 1 St. each side every ¾ inch 7 times more (being careful to keep Pattern even).

Sts. on Needle: 136 Sts. 144 Sts. 152 Sts.

When work measures 8 inches from start, increase 1 St. each side, then every ½ inch 11 times more.

Sts. on Needle: 160 Sts. 168 Sts. 176 Sts.

When work measures
16″ 16½″ 17″
from start,

To Shape Armholes: Bind off 10 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 8 times.

Sts. on Needle: 124 Sts. 132 Sts. 140 Sts.

When armhole measures
3½″ 4″ 4½″
(measured straight from bound-off Sts. at underarm), increase 1 St. each side, then every inch 3 times more.

Sts. on Needle: 132 Sts. 140 Sts. 148 Sts.

When armhole measures
7½″ 8″ 8½″

(continued on page 30)

DARK JEWEL
No. 7610

A treasure of a dress shown before a colorful background of rare medieval tapestry in the Museum's fifteenth century exhibit of Franco-Flemish Art.

ONE-PIECE DRESS
Sizes 12, 14 and 16

MATERIALS REQUIRED:

Minerva Velveen (1 ounce ball)

	Size 12	Size 14	Size 16
Light Navy No. 1112 (Dark Color)	21 Balls	23 Balls	25 Balls
White No. 1100 (Light Color)	1 Ball	1 Ball	1 Ball

OR

Minerva Stylaine (1 ounce ball)

	Size 12	Size 14	Size 16
Dark Color	25 Balls	28 Balls	30 Balls
Light Color	1 Ball	1 Ball	1 Ball

OR

Minerva Monterey (1 ounce skein)

	Size 12	Size 14	Size 16
Dark Color	25 Skeins	28 Skeins	30 Skeins
Light Color	1 Skein	1 Skein	1 Skein

Knitting Needles: 1 Pair Standard Size 2—14 inch

Gauge: 8 Sts. to 1 inch

1 Steel Crochet Hook Size 4

This garment can also be made in Minerva Fingering Yarn, Sports Yarn or Featherdown, using Size 3 Needles. For yarn amounts see page 32.

Sizes:	**12**	**14**	**16**

SKIRT—BACK: With Dark Color cast on
208 Sts. 216 Sts. 224 Sts.

Work in Stockinette St. for 5 inches even. Next row decrease 1 St. each side, then every inch 23 times more.

Sts. on Needle: 160 Sts. 168 Sts. 176 Sts.

Work even until Skirt measures 32 inches or desired length. Bind off.

Pocket Facing: With Dark Color cast on 41 Sts., work in Stockinette St. for 3 inches, slip Sts. on St. Holder. Make 2.

SKIRT—FRONT: Work same as for Back until work measures 27 inches from start (5 inches from waistline for 32 inch Skirt; for shorter or longer Skirt make adjustments). Next row K.16, bind off 45 Sts. for pocket opening, K. across to last 61 Sts., bind off 45 Sts., K.16. Next row P. to pocket opening, P.41 Sts. of Pocket Facing from St. Holder, P. across to second pocket opening, P. second Pocket Facing from St. Holder, P. to end of row. Discontinue decreases at each side and work as follows:

Row 1—K.16, P.1, *K.3, P.1, repeat from * 8 times more, K. across to last 53 Sts., P.1, *K.3, P.1, repeat from * 8 times more, K.16.

Row 2—P.16, K.1, *P.3, K.1, repeat from * 8 times more, P. across to last 53 Sts., K.1, *P.3, K.1, repeat from * 8 times more, P.16.

Repeat last 2 rows until Front measures same length as Back of Skirt. Bind off.

Sew seam at each side, leaving 5 inches open at left side for placket.

BLOUSE—BACK: With Dark Color cast on
120 Sts. 128 Sts. 136 Sts.

Increase 1 St. each side every inch 8 times.

Sts. on Needle: 136 Sts. 144 Sts. 152 Sts.

When work measures
9″ 9″ 9½″
from start,

To Shape Armholes: Bind off 6 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 10 times.

Sts. on Needle: 104 Sts. 112 Sts. 120 Sts.

When work measures 12 inches from start, divide Sts. for back opening. K. to center, slip these Sts. on St. Holder, on remaining Sts. work even until armhole measures
7½″ 8″ 8½″
(measured straight from bound-off Sts. at underarm).

To Shape Shoulder: Bind off
12 Sts. 13 Sts. 14 Sts.
at armhole edge every other row 3 times. Bind off remaining
16 Sts. 17 Sts. 18 Sts.
for back of neck.

Work other side to correspond.

FRONT: Cast on
120 Sts. 128 Sts. 136 Sts.

Row 1—K.8, P.1, *K.3, P.1, repeat from * 5 times more (Ribbing as on Skirt), K. across to last 33 Sts., work 25 Sts. in Ribbing as on Skirt, K.8.

(continued on page 31)

ROYAL SCOT

No. 7611

(As shown on back cover)

A Tartan design in bold clan colors makes a striking contrast below Rembrandt's seventeenth century masterpiece, *The Noble Slav.*

TWO-PIECE DRESS WITH STOLE
Sizes 12, 14 and 16

MATERIALS REQUIRED:

Minerva Fingering Yarn (2 ounce skein)

	Size 12	Size 14	Size 16
Ferrara No. 115 (Color 1)	12 Skeins	13 Skeins	14 Skeins
Cherry No. 118 (Color 2)	1 Skein	1 Skein	1 Skein
Pearl No. 114 (Color 3)	1 Skein	1 Skein	1 Skein
Damascus No. 116 (Color 4)	1 Skein	1 Skein	1 Skein

OR

Minerva Featherdown (1 ounce ball)

	Size 12	Size 14	Size 16
Color 1	19 Balls	20 Balls	22 Balls
Color 2	1 Ball	1 Ball	1 Ball
Color 3	1 Ball	1 Ball	1 Ball
Color 4	1 Ball	1 Ball	1 Ball

OR

Minerva Sports Yarn (2 ounce ball)

	Size 12	Size 14	Size 16
Color 1	13 Balls	14 Balls	15 Balls
Color 2	1 Ball	1 Ball	1 Ball
Color 3	1 Ball	1 Ball	1 Ball
Color 4	1 Ball	1 Ball	1 Ball

Knitting Needles: 1 Pair Standard Size 3—14 inch
Gauge: 8 Sts. to 1 inch
1 Steel Crochet Hook Size 2
The colors in the Vertical Lines are crocheted on later.

Sizes:	**12**	**14**	**16**

SKIRT: (Made in 4 Gores). With Ferrara cast on 165 Sts. 169 Sts. 173 Sts. then work Plaid Pattern as follows:

Row 1—K.16, P.1, K.3, P.1, K.28, *P.1, K.3, P.1, K.26 K.28 K.30
repeat from * once, then P.1, K.3, P.1, K.28, P.1, K.3, P.1, K.16.

Row 2—P.16, K.1, P.3, K.1, P.28, *K.1, P.3, K.1, P.26 P.28 P.30
repeat from * once, then K.1, P.3, K.1, P.28, K.1, P.3, K.1, P.16.

Repeat Rows 1 and 2 once, then continuing Vertical Lines of Plaid (P. Sts. over P. Sts.), decrease 1 St. each side every ½ inch 46 times, then every 1 inch 4 times, then every ½ inch 7 times, at the same time when work measures 6 inches from start, work Horizontal Stripes (in Stockinette St.) as follows:
*With Damascus work 2 rows.
Ferrara 6 rows.
Pearl 2 rows.
Ferrara 6 rows.
Cherry 2 rows.
With Ferrara work 5¼ inches.

Repeat from * until Skirt measures 32 inches (or desired length), then work in Ribbing of K.1, P.1, for 1 inch, bind off.

Make 3 more Gores the same.

Vertical Stripes—First Gore: With Crochet Hook work Slip St. up each P. St. line, starting at right-hand corner of Gore *work first Stripe with Cherry, second Stripe with Damascus, third Stripe with Cherry, fourth Stripe with Pearl, repeat from * across, ending with Damascus.

Work Stripes on next Gore the same. On remaining 2 Gores start Stripes with *Damascus, Cherry, Pearl, Cherry, repeat from * across, ending with Cherry.

Sew seams, matching plaid. With Ferrara work 1 row of S. C. around lower edge of Skirt. Work casing for elastic (see page 33) at inside of Ribbing at waistline.

BLOUSE—BACK: With Ferrara cast on 106 Sts. 114 Sts. 122 Sts.

Work in Moss St. (see page 33) for 4 rows. Change to Stockinette St. and decrease 1 St. each side every 1 inch 4 times. Work 1 inch even, then increase 1 St. each side, then every ½ inch 14 times more.
Sts. on Needle: 128 Sts. 136 Sts. 144 Sts.

When work measures 12½″ 12½″ 13″ from start,

To Shape Armholes: Bind off 7 Sts. at beginning of each of the next 2 rows, then 3 Sts. at beginning of next 2 rows, then decrease 1 St. each side.
Sts. on Needle: 106 Sts. 114 Sts. 122 Sts.

When armhole measures 4 inches (measured straight from bound-off Sts. at underarm), divide Sts. for back opening and work each Shoulder separately.

(continued on page 21)

Another Famous Product — Lees Carpets

No. 7611 *(continued from page 20)*

When armhole measures

7½″ 7½″ 8″

To Shape Shoulder: Bind off

11 Sts. 12 Sts. 13 Sts.

at armhole edge every other row 3 times, bind off remaining Sts. for back of neck. Work other Shoulder to correspond.

FRONT: Work same as Back (omitting back opening) until armhole measures

5″ 5″ 5½″

To Shape Neck: Work across

42 Sts. 45 Sts. 48 Sts.

slip these Sts. on a St. Holder, bind off next

22 Sts. 24 Sts. 26 Sts.

then on remaining Sts. work Right Shoulder. Bind off 2 Sts. at neck edge every other row 4 times, then decrease 1 St.

Sts. on Needle: 33 Sts. 36 Sts. 39 Sts.

When armhole measures same as at Back,

To Shape Shoulder: Bind off

11 Sts. 12 Sts. 13 Sts.

at armhole edge every other row 3 times. Work Left Shoulder to correspond.

SLEEVES: With Ferrara cast on

50 Sts. 54 Sts. 58 Sts.

Work in Moss St. for 4 rows. Change to Stockinette St. and increase 1 St. each side every inch 16 times.

Sts. on Needle: 82 Sts. 86 Sts. 90 Sts.

When Sleeve measures 18 inches (or desired length) to underarm,

To Shape Cap of Sleeve: Bind off 7 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every fourth row

7 times 5 times 7 times

then every other row each side

7 times 11 times 11 times

then bind off 2 Sts. at beginning of each of the next 6 rows. Bind off remaining Sts.

NECKBAND: With Ferrara cast on 12 Sts. Work in Ribbing of K.1, P.1, for 20 inches, bind off.

Sew shoulder seams, sew Sleeves in place. Sew underarm and sleeve seams. Work 1 row of S. C. around back opening. Sew neckband to neck edge, leaving ends to tie at back opening. Gather Sts. at ends of neckband to round off edge.

STOLE: With Ferrara cast on 100 Sts., then work Plaid Pattern as follows:

Row 1—K.10, *P.1, K.3, P.1, K.20, repeat from * 2 times more, ending P.1, K.3, P.1, K.10.

Row 2—P.10, *K.1, P.3, K.1, P.20 repeat from * 2 times more, ending K.1, P.3, K.1, P.10.

Repeat these 2 rows for 4 inches.

Work Horizontal Stripes same as on Skirt.

Repeat Pattern from start 7 times more, then work 4 inches with Ferrara, bind off.

Work Vertical Stripes as on Skirt.

With Ferrara work 1 row of S. C. around entire Stole, then make fringe as follows: Wind Ferrara Yarn over 2½ inch cardboard, cut loops at one side. Using 1 strand, double and knot fringe in every St. at each end of Stole.

No. 7602

(continued from page 2)

When armhole measures

2½″ 2½″ 3″

(measured straight from bound-off Sts. at underarm), divide Sts. for back opening, binding off Center St. Work each Shoulder separate.

When armhole measures

8″ 8″ 8½″

To Shape Shoulder: Bind off

11 Sts. 12 Sts. 13 Sts.

at armhole edge every other row 3 times, bind off remaining Sts. for back of neck.

FRONT: Work same as Back, omitting back opening until armhole measures 5½ inches.

To Shape Neck: Work across

40 Sts. 43 Sts. 46 Sts.

slip these Sts. on St. Holder for Left Shoulder, bind off next

17 Sts. 19 Sts. 21 Sts.

on remaining Sts. work Right Shoulder as follows: Decrease 1 St. at neck edge every other row 7 times.

When armhole measures same as at Back,

To Shape Shoulder: Bind off

11 Sts. 12 Sts. 13 Sts.

at armhole edge every other row 3 times.

Work Left Shoulder to correspond.

SLEEVES: With Mexicana cast on

80 Sts. 88 Sts. 96 Sts.

Work in Stockinette St. (P. side is right side of work), increasing 1 St. each side every 6th row 18 times.

Sts. on Needle: 116 Sts. 124 Sts. 132 Sts.

When Sleeve measures 12 inches (or desired length) from start,

To Shape Cap of Sleeve: Bind off 8 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row

19 times 16 times 19 times

then 2 Sts. at beginning of each of the next

20 rows 26 rows 26 rows

bind off remaining Sts.

(continued on page 25)

Another Famous Product — Lees Carpets

Two-Tone Traveler No. 7600 *(shown on cover)*

ONE-PIECE DRESS
Sizes 14, 16 and 18

MATERIALS REQUIRED:

Minerva Monterey (1 ounce skein)

	Size 14	Size 16	Size 18
South Sea Green No. 313	26 Skeins	29 Skeins	32 Skeins

AND

Minerva Knitting Worsted (4 ounce skein)

	Size 14	Size 16	Size 18
Hunter No. 5038	1 Skein	1 Skein	1 Skein

Knitting Needles: 1 Steel Circular Skirt Needle
Standard Size 3—29 inch
1 Pair Standard Size 3—14 inch

Gauge: 7 Sts. to 1 inch
1 Steel Crochet Hook Size 2

Sizes:	**14**	**16**	**18**

SKIRT: With Circular Needle and South Sea Green (Monterey) cast on
480 Sts. 490 Sts. 500 Sts.

Join, being careful not to twist Sts. K. around for 5 inches (for 32 inch Skirt; for shorter or longer Skirt make adjustments), then decrease 10 Sts. on next row as follows:

*K.46 *K.47 *K.48

K.2 together, repeat from * around.
Work 1 inch even.

On next row

*K.45 *K.46 *K.47

K.2 together, repeat from * around. Continue to decrease 10 Sts. every inch 23 times more (having 1 St. less between decreases every decreasing row), then every ½ inch 4 times.

Sts. on Needle: 190 Sts. 200 Sts. 210 Sts.

When Skirt measures 32 inches (or desired length), bind off.

BLOUSE—BACK: With Straight Needles and South Sea Green cast on
104 Sts. 112 Sts. 120 Sts.

Work even in Stockinette St. for 1 inch, then increase 1 St. each side, then every ¾ inch 7 times more.

Sts. on Needle:
120 Sts. 128 Sts. 136 Sts.

When work measures
8″ 8½″ 8½″
from start,

To Shape Armholes: Bind off 6 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 5 times.

Sts. on Needle: 98 Sts. 106 Sts. 114 Sts.

Work even until armhole measures
7″ 7½″ 8″
(measured straight from bound-off Sts. at underarm).

To Shape Shoulders: Bind off
8 Sts. 9 Sts. 10 Sts.
at beginning of each of the next 8 rows. Bind off remaining Sts. for back of neck.

LEFT FRONT: Cast on
60 Sts. 64 Sts. 68 Sts.

work ½ inch even in Stockinette St., then increase 1 St. at side edge, then every ½ inch 9 times more.

Sts. on Needle: 70 Sts. 74 Sts. 78 Sts.

Work even until work measures same as Back to underarm,

To Shape Armhole: Bind off 7 Sts. at side edge, then decrease 1 St. every other row 7 times.

Sts. on Needle: 56 Sts. 60 Sts. 64 Sts.

When front edge measures
13″ 13½″ 14″

To Shape Neck: Bind off 14 Sts. at front edge, then 2 Sts. every other row 5 times.

When armhole measures same as at Back,

To Shape Shoulder: Bind off
8 Sts. 9 Sts. 10 Sts.
at armhole edge every other row 4 times.

RIGHT FRONT: Work to correspond with Left Front, working first Buttonhole 1½ inches from start, 2 Sts. from front edge, 3 Sts. wide (Buttonholes see page 33). Work 10 more Buttonholes 1 inch apart.

SLEEVES: Starting at Cuff, with South Sea Green (Monterey) cast on
84 Sts. 86 Sts. 88 Sts.

Row 1—K.
Rows 2 and 3—With Hunter (Knitting Worsted) K.
Row 4—With South Sea Green P.
Row 5—K.
Row 6—P.
Row 7—K.
Repeat from Row 2 once.
Rows 14 and 15—Same as Rows 2 and 3.
With South Sea Green work in Stockinette St. (K. first row—reversing Stockinette St.) for 1 inch, then increase 1 St. each side, then every ½ inch 3 times more.

Sts. on Needle: 92 Sts. 94 Sts. 96 Sts.

When work measures 4½ inches from Cuff,

To Shape Cap of Sleeve: Bind off 6 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row
22 times 24 times 26 times
then bind off 2 Sts. at beginning of each of the next 8 rows, bind off remaining Sts.

COLLAR: With South Sea Green cast on
108 Sts. 112 Sts. 116 Sts.

Row 1—K.

(continued on page 24)

Empire Silhouette No. 7601 *(shown on page 1)*

TWO-PIECE SUIT WITH CAPE
Sizes 14, 16 and 18

MATERIALS REQUIRED:

Minerva Monterey (1 ounce skein)

	Size 14	Size 16	Size 18
Beauvais No. 334	44 Skeins	47 Skeins	50 Skeins

OR

Minerva Velveen (1 ounce ball)

	Size 14	Size 16	Size 18
	37 Balls	40 Balls	42 Balls

OR

Minerva Stylaine (1 ounce ball)

	Size 14	Size 16	Size 18
	44 Balls	47 Balls	50 Balls

Knitting Needles: 1 Pair Standard Size 3—14 inch

Gauge: 7 Sts. to 1 inch

This garment can also be made in Minerva Fingering Yarn or Sports Yarn, using Size 4 Needles. For yarn amounts see page 32.

Sizes:	**14**	**16**	**18**

SKIRT: (Made in 4 Gores) Cast on
120 Sts. 124 Sts. 128 Sts.

Work even in Stockinette St. for 1 inch, P.1 row on right side of work for turn of hem. Work even for 3 inches (for 32 inch Skirt; for shorter or longer Skirt make adjustments). Decrease 1 St. each side, then every ¾ inch 28 times more.

Sts. on Needle: (hipline—25 inches from start)
62 Sts. 66 Sts. 70 Sts.

Decrease 1 St. each side every inch 5 times, then every ½ inch

	2 times	3 times	3 times
Sts. on Needle:	48 Sts.	50 Sts.	54 Sts.

When Skirt measures 32 inches (or desired length) from P. row of hem, bind off.

Make 3 more Gores the same.

Sew seams, leaving 7 inches open at left side for placket. Sew slide fastener in placket. Sew skirt belting at inside of waist. Turn up hem and sew.

JACKET—BACK: Starting at Peplum, cast on
254 Sts. 262 Sts. 270 Sts.

Work in Stockinette St. for 1 inch. P. 1 row on right side of work for turn of hem, then work even for 2 inches. Decrease 10 Sts. across next row as follows:

K.9 K.13 K.17

*K.2 together, K.24, repeat from * across row, ending K.2 together,

K.9 K.13 K.17

Continue to decrease 10 Sts. across row in this manner (decreasing over previous decreases and having 1 St. less between decreases after each decreasing row) every inch 3 times more, then every ½ inch 12 times.

Sts. on Needle: 94 Sts. 102 Sts. 110 Sts.

When work measures 12 inches from P. row of hem, increase 1 St. each side, then every 6th row 12 times more.

Sts. on Needle: 120 Sts. 128 Sts. 136 Sts.

When work measures 20 inches from P. row of hem (measured through center of work),

To Shape Armholes: Bind off 6 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 6 times.

Sts. on Needle: 96 Sts. 104 Sts. 112 Sts.

When armhole measures

8″ 8½″ 9″

(measured straight from bound-off Sts. at underarm),

To Shape Shoulders: Bind off

11 Sts. 12 Sts. 13 Sts.

at beginning of each of the next 6 rows, bind off remaining Sts. for back of neck.

LEFT FRONT: Starting at Peplum, cast on
97 Sts. 101 Sts. 105 Sts.

Work hem same as on Back, then work in Stockinette St. until work measures 2½ inches from P. row of hem. Decrease 3 Sts. across next row as follows:

K.15 K.17 K.19

K.2 together, K.30, K.2 together, K.30, K.2 together,

K.16 K.18 K.20

Continue to decrease 3 Sts. across row in this manner every inch 3 times more, then every ½ inch 11 times.

Sts. on Needle: 52 Sts. 56 Sts. 60 Sts.

When work measures 12 inches from P. row of hem, increase 1 St. at side edge, then every 6th row 11 times more.

Sts. on Needle: 64 Sts. 68 Sts. 72 Sts.

When work measures 20 inches from P. row of hem (measured through center of work),

To Shape Armhole: Bind off 6 Sts. at side edge, then decrease 1 St. at same edge every other row 6 times.

When front edge measures

25″ 25½″ 26″

To Shape Neck: Bind off 8 Sts. at front edge, then decrease 1 St. at neck edge every other row

11 times 12 times 13 times

at the same time when armhole measures

8″ 8½″ 9″

from underarm,

To Shape Shoulder: Bind off

11 Sts. 12 Sts. 13 Sts.

at side edge every other row 3 times.

RIGHT FRONT: Work to correspond with Left Front, working first Buttonhole 9 inches from start, 4 Sts. from front edge and 6 Sts. wide (Buttonholes see page 33). Work 6 more Buttonholes about 2½ inches apart.

(continued on page 25)

Another Famous Product — Lees Carpets

No. 7600 *(continued from page 22)*

Rows 2 and 3—With Hunter K.

Row 4—With South Sea Green P.

Row 5—K.

Row 6—P.

Row 7—K.

Repeat from Row 2 three times, decreasing across last row as follows: *K.3, K.2 together, repeat from * across. Bind off.

Sew shoulder seams, sew Sleeves in place. Sew underarm and sleeve seams. Sew Blouse to Skirt, overlapping front 8 Sts. at center. Crochet casing at waist (see page 33) for elastic. Face front edges with grosgrain ribbon, working Buttonhole St. around Buttonholes. Sew bound-off edge of Collar to neck edge. Work 3 rows of S. C. around lower edge of Skirt. Work 1 row of S. C. around front edges, Collar and Cuffs.

COAT

Sizes 14, 16 and 18

MATERIALS REQUIRED:

Minerva Knitting Worsted (4 ounce skein)

	Size 14	Size 16	Size 18
Hunter No. 5038	5 Skeins	6 Skeins	7 Skeins

AND

Minerva Monterey (1 ounce skein)

	Size 14	Size 16	Size 18
South Sea Green No. 313	5 Skeins	7 Skeins	9 Skeins

Knitting Needles: 1 Pair Standard Size 5—14 inch

Gauge: 5 Sts. to 1 inch (Pattern St.)

1 Steel Crochet Hook Size 2

PATTERN STITCH: (Multiple of 3 Sts. plus 2)

Row 1—With Hunter (Knitting Worsted) P. (wrong side of work).

Row 2—With South Sea Green (Monterey) *K.2, slip 1, repeat from * ending, K.2.

Row 3—*P.2, slip 1, repeat from * ending, P. 2.

Row 4—With Hunter K.

Repeat from Row 1 for Pattern.

Sizes:	**14**	**16**	**18**

BACK: With Hunter cast on

98 Sts. 104 Sts. 110 Sts.

Work even in Pattern Stitch until work measures 17½ inches.

To Shape Armholes: Bind off 7 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 6 times.

Sts. on Needle:	72 Sts.	78 Sts.	84 Sts.
When armhole measures	2″	2½″	3″

(measured straight from bound-off Sts. at underarm), increase 1 St. each side, then every 2 inches 2 times more.

Sts. on Needle:	78 Sts.	84 Sts.	90 Sts.
When armhole measures	7½″	8″	8½″

To Shape Shoulders: Bind off

13 Sts. 14 Sts. 15 Sts.

at beginning of each of the next 4 rows, bind off remaining Sts. for back of neck.

LEFT FRONT: With Hunter cast on

59 Sts. 62 Sts. 65 Sts.

Work in Pattern St. until work measures same as Back to underarm,

To Shape Armhole: Bind off 7 Sts. at side edge, then decrease 1 St. at armhole edge every other row 6 times.

Sts. on Needle:	46 Sts.	49 Sts.	52 Sts.
When armhole measures	2″	2½″	3″

increase 1 St. at armhole edge, then every 2 inches 2 times more, at the same time when armhole measures

5½″ 6″ 6″

To Shape Neck: Bind off

15 Sts. 16 Sts. 17 Sts.

at front edge, then 2 Sts. every other row 4 times.

When armhole measures same as at Back,

To Shape Shoulder: Bind off

13 Sts. 14 Sts. 15 Sts.

at side edge every other row 2 times.

RIGHT FRONT: Work same as Left Front, working first Buttonhole when front edge measures

19½″ 20″ 20″

3 Sts. from front edge and 5 Sts. wide (Buttonholes see page 33). Work 1 more Buttonhole 3 inches apart.

LEFT FRONT FACING: With Hunter cast on

24 Sts. 25 Sts. 26 Sts.

Work even in Stockinette St. until work measures 17½ inches. Increase 1 St. at inside edge (end of K. row), then every inch 6 times more, at the same time when work measures same as front to neck edge, bind off for neck same as Left Front. On remaining 8 Sts. work even until work measures same as Left Front to Shoulder, bind off. Work Right Front Facing to correspond, working 2 Buttonholes same as on Right Front.

SLEEVES: Starting at Cuff, with Hunter cast on

62 Sts. 65 Sts. 68 Sts.

Work in Stockinette St. for 4½ inches, ending with K row. K.1 row on wrong side, then start Pattern from Row 1 (reversing work). When work measures 5 inches from start of Pattern St., increase 1 St. each side, then every 1½ inches 6 times more.

Sts. on Needle:	76 Sts.	79 Sts.	82 Sts.

When Sleeve measures 18 inches (or desired length) from start of Pattern St.,

To Shape Cap of Sleeve: Bind off 5 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row

18 times 19 times 20 times

(continued on page 25)

Another Famous Product — Lees Carpets

No. 7600 *(continued from page 24)*

then bind off 2 Sts. at beginning of each of the next 8 rows. Bind off remaining Sts.

COLLAR: With Hunter cast on

36 Sts. 36 Sts. 42 Sts.

Work in Stockinette St., casting on 7 Sts. at beginning of each of the next 6 rows, work 2 rows even, increase 1 St. each side, then every 4th row 6 times more. When work measures 5 inches (measured straight at center) from start, bind off. Work Facing the same.

Sew shoulder seams. Sew Sleeves in place. Sew underarm and sleeve seams. Sew Facings to Fronts (overcasting Buttonholes) and Collar. Sew Collar to neck edge. Turn up Cuffs. Work 1 row of S. C. around lower edge of Coat and on top edge of Cuffs.

No. 7601 *(continued from page 23)*

SLEEVES: Cast on

54 Sts. 56 Sts. 58 Sts.

Work in Stockinette St. for ½ inch. P.1 row on right side for turn of hem. Increase 1 St. each side every 10th row 12 times, then every 6th row

6 times 7 times 8 times

Sts. on Needle: 90 Sts. 94 Sts. 98 Sts.

When Sleeve measures 18 inches or desired length to underarm,

To Shape Cap of Sleeve: Bind off 6 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row

21 times 23 times 25 times

then every row 14 times, bind off remaining Sts.

CAPE—BACK: Cast on

190 Sts. 198 Sts. 206 Sts.

Work in Stockinette St. for 6 rows, P.1 row on right side for turn of hem, then work even for 1 inch. Next row decrease 7 Sts. across row as follows:

K.16 K.20 K.24

*K.2 together, K.24, repeat from * 5 times more, end K.2 together,

K.16 K.20 K.24

Continue to decrease 7 Sts. over previous decreases every inch 5 times more, then every ½ inch 5 times, at the same time when work measures 4½ inches from P. row of hem, decrease 1 St. each side every other row 8 times (decreasing 16 Sts.), then bind off 2 Sts. at beginning of each row 32 times (decreasing 64 Sts.), bind off remaining

33 Sts. 41 Sts. 49 Sts.

LEFT FRONT OF CAPE: Cast on

94 Sts. 98 Sts. 102 Sts.

Work hem same as on Back of Cape. Work even for 1 inch, then decrease 4 Sts. across next row as follows:

K.15 K.17 K.19

*K.2 together, K.19, repeat from * 2 times more, end K.2 together,

K.14 K.16 K.18

Work Shoulder decreases at left side edge to correspond with side edge of Back of Cape, continuing to decrease 4 Sts. over previous decreases every inch 5 times more, then decrease 3 Sts. across every ½ inch 2 times, then 2 Sts. every ½ inch 3 times, at the same time when front edge measures 7 inches from P. row of hem,

To Shape Neck: Bind off

7 Sts. 9 Sts. 11 Sts.

at front edge, then decrease 1 St. every other row

7 times 9 times 11 times

After all decreases are made at side edge, bind off remaining 4 Sts.

Work Right Front of Cape to correspond, working Buttonholes to correspond with Buttonholes of Right Front of Jacket.

COLLAR: Cast on 5 Sts., working in Stockinette St., increase 1 St. at beginning of every 4th row 18 times (increasing at outside edge). Work even for

5″ 5½″ 6″

then decrease 1 St. at beginning of every 4th row (outside edge) until 5 Sts. remain, bind off.

LEFT FRONT FACING: Cast on 32 Sts. Work in Stockinette St. same length as Front to neck edge (measure, starting at top of hem). Shape neck edge to correspond with Front of Jacket. Work Right Front Facing to correspond, matching Buttonholes.

Sew shoulder seams, sew Sleeves in place. Sew underarm and sleeve seams. Turn up hems and sew. Sew Facings to Fronts. Sew shoulder seams of Cape to fit shoulder line. Sew Cape to neck edge. Sew straight edge of Collar to inside of neck edge. Overcast Buttonholes.

BUTTONS: Cast on 32 Sts. Work in Stockinette St. for about 6 inches to cover 7 ¾-inch Button Molds.

No. 7602 *(continued from page 21)*

Turn-up Cuff of Blouse: With Mexicana and Straight Needles cast on

125 Sts. 133 Sts. 141 Sts.

Work in Stockinette St. (P. side is right side) for 1¾ inches, bind off. Make 2.

Turn-up Cuff of Sleeve: With Mexicana cast on

80 Sts. 88 Sts. 96 Sts.

Work same as Blouse Cuff, bind off. Make 2.

COLLAR: With Mexicana cast on 24 Sts. Work in Stockinette St., increasing 1 St. at beginning and decreasing 1 St. at end of every 4th row until work measures

14″ 15″ 16″

bind off.

With Mexicana work 1 row of S. C. around back opening. Sew shoulder seams, sew Sleeves in place. Sew underarm and sleeve seams. Sew turn-up Cuffs to right side of lower edge of Blouse and Sleeves. Sew seams of Cuffs. Sew Collar to neck edge of Blouse (P. side on right side). Sew slide fastener in back opening. With White and Crochet Hook work 1 Ch. St. in each K. St. of Vertical Lines on Back and Front of Blouse.

(continued on page 26)

Another Famous Product — Lees Carpets

No. 7602 *(continued from page 25)*

Crocheted Edging on Cuffs: On right side of work, with Mexicana work 2 rows of S. C. around edge.

Row 3—Join White with 1 S. C., *Ch.2, skip 1 St., 1 S. C. in next St., repeat from * around, break White strand.

Row 4—With Mexicana work 2 S. C. in each Ch.2 around, break yarn, fasten.

For Collar work edging across 3 sides (starting Rows 1, 3 and 4 on right side of work).



No. 7603
(continued from page 4)

To Shape Armholes: Bind off 6 Sts. at beginning of each of the next two rows, then 2 Sts. at beginning of next 4 rows, then decrease 1 St. each side every other row 3 times.

Sts. on Needle:	117 Sts.	125 Sts.	133 Sts.

Work one row, break yarn and work third tier as follows: Cast on

143 Sts.	151 Sts.	159 Sts.

Work in Moss St. for 1½ inches, then work armhole decreases as for Back.

Sts. on Needle:	117 Sts.	125 Sts.	133 Sts.

When armhole measures

8″	8½″	8½″

To Shape Shoulders: Bind off

13 Sts.	14 Sts.	15 Sts.

at beginning of each of the next 6 rows, bind off remaining Sts. for back of neck.

LEFT FRONT: Cast on

73 Sts.	77 Sts.	81 Sts.

(14 Sts. are for Front Facing).

Work in Stockinette St., increasing 1 St. at side edge every 4th row 20 times, at the same time when work measures 4½ inches from start, work first tier as follows: On another needle cast on

51 Sts.	55 Sts.	59 Sts.

Work in Moss St. for 2¼ inches, then join tier to Front, starting at side edge. Work 2 inches, then work second tier, casting on

57 Sts.	61 Sts.	65 Sts.

When work measures same as Back to underarm,

Sts. on Needle:	93 Sts.	97 Sts.	101 Sts.

To Shape Armhole: Bind off 6 Sts. at side edge, then 2 Sts. every other row 2 times, then decrease 1 St. at same edge every other row 3 times.

Next row:

P.80	P.84	P.88

For third tier cast on

60 Sts.	64 Sts.	68 Sts.

Work 1½ inches even in Moss St., then decrease as for armhole. Join to Front.

When front edge measures

14″	14½″	15″

To Shape Neck: Bind off 35 Sts. at front edge, then 2 Sts. every other row 2 times, then decrease 1 St. every other row

2 times	3 times	4 times

When armhole measures same as at Back,

To Shape Shoulder: Bind off

13 Sts.	14 Sts.	15 Sts.

at side edge every other row 3 times.

RIGHT FRONT: Work to correspond with Left Front, working first set of Double Buttonholes

1¼″	1½″	1¾″

from start as follows: K.5, bind off 4 Sts., K.10, bind off 4 Sts., K. to end of row. Next row cast on 4 Sts. over the bound-off Sts. Work 5 more sets of Double Buttonholes about 2¼ inches apart.

SLEEVES: Cast on

60 Sts.	64 Sts.	68 Sts.

Work in Stockinette St. for ½ inch, P.1 row on right side for turn of hem. Work even in Stockinette St. for 1 inch, then increase 1 St. each side every ½ inch 29 times.

Sts. on Needle:	118 Sts.	122 Sts.	126 Sts.

When sleeve measures 18 inches (or desired length) to underarm,

To Shape Cap of Sleeve: Bind off 4 Sts. at beginning of each of the next 2 rows, then 2 Sts. at beginning of next 4 rows, decrease 1 St. each side every other row

30 times	34 times	35 times

Bind off 2 Sts. at beginning of the next

10 rows	8 rows	12 rows

Bind off remaining Sts.

COLLAR: Cast on 14 Sts. Work in Moss St. for 16 inches, bind off.

Sew Skirt seams (sew seams of tiers separate), leaving 5 inches open on left side for placket. Turn up hem on Skirt and sew. Sew shoulder seams, sew Sleeves in place. Sew sleeve and underarm seams (sew seams of tiers separate), leaving 4 inches open on left side for placket. Turn under 14 Sts. of Facing at front edges and sew, overcast Buttonholes. Sew Collar to neck edge, starting and ending ½ inch from front edge. Turn up hem of Sleeves and sew. Sew Blouse to Skirt. Sew 1 inch skirt belting at inside of waist. Sew slide fastener in placket, sew snap fasteners at neck edge and in tiers on Skirt at placket opening.

No. 7604

(continued from page 6)

Row 7—With Rubens K. across to 13 Center Sts., with California Citron K.6, join Saracen K. Center St. with Saracen, join second ball of California Citron, K.6, with Rubens K. to end of row.

Row 8—P. 3 Sts. at center with Saracen and 6 Sts. each side of center with California Citron (moving Stripes 1 St. every row towards side edges).

Row 9—K.5 Sts. at center with Saracen and 6 Sts. each side with California Citron.

Row 10—Work to center, join third ball of Rubens and P. Center St. with Rubens, join second ball of Saracen, P.3, with California Citron P.6, with Rubens P. to end of row.

Continue to work Stripe in this manner and work 2 Sts. more at center with Rubens and on Row 11 increase 8 Sts. each side in Rubens sections (outside of Stripes), increasing 1 St. in about every fifth St.

Sts. on Needle:	137 Sts.	147 Sts.	157 Sts.

Row 12—P.

Row 13—K.

Row 14—Divide Sts. for front opening as follows: P. across

75 Sts.	80 Sts.	85 Sts.

slip Sts. on St. Holder.

Work Left Front: With Rubens cast on 12 Sts. at center for underlap, then P.

62 Sts.	67 Sts.	72 Sts.

to end of row, increasing 1 St. in last St. Move Stripe 1 St. every row towards left underarm, at the same time increase 1 St. at side edge every other row 3 times, then every fourth row 14 times more and start Second Stripe 24 rows from First Stripe (working 1 St. in California Citron in thirteenth St. from front edge), then work 1 more St. towards the left side edge every row until there are 6 Sts. in California Citron and 3 Sts. in Saracen. Continue as for First Stripe (start 2 more Stripes in same manner).

When work measures ¾ inch above ending of First Stripe at side edge,

To Shape Armhole: Decrease 1 St. at side edge every row 18 times.

Work even (continuing Stripes) until front edge measures

12½″	12¾″	13″

To Shape Neck: Slip 16 Sts. at front edge on St. Holder, then decrease 1 St. every row

10 times	11 times	12 times

When armhole measures

8″	8½″	9″

To Shape Shoulder: Bind off

12 Sts.	13 Sts.	14 Sts.

every other row 4 times.

RIGHT FRONT: Continue to move Stripe 1 St. every row towards the right side edge and work increases and decreases at side edge to correspond with Left Front, starting Second Stripe same as First Stripe (with California Citron work 1 St. in seventh St. from front edge, then move Stripe 1 St. each side every row until Stripe ends at center front, then continue to move Stripe towards right side edge). Work 2 more Stripes in same manner.

To Shape Neck: Slip 17 Sts. on St. Holder, then decrease 1 St. every row

10 times	11 times	12 times

Bind off for Shoulder to correspond with Left Front.

BACK: Cast on Sts. and decrease same as for Front until work measures 6 inches from start.

Sts. on Needle:	121 Sts.	129 Sts.	137 Sts.

Start First Stripe in same manner as for Front (omitting opening). On eleventh row increase 8 Sts. each side of Stripe. Continue to move Stripe 1 St. every row each side towards left and right side edges. Stripe increases at side edge and decreases at armholes same as for Front.

When armholes measure same as at Front,

To Shape Shoulders: Bind off

12 Sts.	13 Sts.	14 Sts.

at beginning of each of the next 8 rows, slip remaining Sts. on St. Holder.

Facing for Fronts: With Rubens cast on

32 Sts.	36 Sts.	40 Sts.

work in Stockinette St. for

5″	5½″	6″

Shape Neck to correspond with Neck of Front, bind off remaining Sts.

Sew shoulder seams.

Neckband: With Rubens pick up

120 Sts.	124 Sts.	128 Sts.

around neck edge (on right side of work), including Sts. on St. Holders. Work in Stockinette St. for 1 inch, bind off. Work Facing for neckband to correspond (picking up Sts. at neck edge of Facings and casting on 40 Sts. across back of neck).

Sew Facings in place. Face front edges with grosgrain ribbon. Sew snap fasteners in opening, being careful to have Stripes matching. Sew underlap in place.

SLEEVES: With Rubens cast on

79 Sts.	83 Sts.	87 Sts.

Work in Stockinette St. for 2 inches even. Increase 1 St. each side, then every fourth row 33 times more, at the same time when work measures 5 inches from start, join California Citron at center and work Stripe same as for Back (work 3 more Stripes).

When Sleeve measures ¾ inch above ending of First Stripe,

To Shape Cap of Sleeve: Decrease 1 St. each side every row 18 times, then every other row 23 times. Bind off 2 Sts. at beginning of each row

10 times	12 times	14 times

bind off remaining Sts.

(continued on page 28)

Another Famous Product — Lees Carpets

No. 7604 *(continued from page 27)*

Sew Sleeves in place, matching Stripes at Fronts and Back. Sew underarm and sleeve seams.

CUFFS: With Rubens cast on

79 Sts. 83 Sts. 87 Sts.

Work in Stockinette St., increasing 1 St. each side every fourth row 5 times. When work measures 2½ inches (at center), bind off. Work 1 row of S. C. at sides and across top edge. Sew wrong side of cast-on edge to right side of Sleeve, with points at opposite side of sleeve seam.

Work 1 row of S. C. around lower edge of Blouse. Trim Right Front with 3 Buttons. Turn up Cuffs and trim with 1 Button.

No. 7605

(continued from page 8)

To Shape Armholes: Bind off 10 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 5 times.

Sts. on Needle: 81 Sts. 89 Sts. 97 Sts.

When armhole measures 4½ inches (measured straight from bound-off Sts. at underarm), increase 1 St. each side, then every fourth row 9 times more.

101 Sts. 109 Sts. 117 Sts.

When armhole measures

7½″ 8″ 8½″

To Shape Shoulders: Bind off

9 Sts. 10 Sts. 11 Sts.

at beginning of each of the next 8 rows, slip remaining 29 Sts. on St. Holder for back of neck.

RIGHT FRONT: Cast on

59 Sts. 63 Sts. 67 Sts.

Row 1—P. (right side of work).

Row 2— K.9 K.13 K.17

work 1 Popcorn in next St., K.19, work Popcorn in next St., K.21, work Popcorn Border on last 8 Sts.

Continuing Popcorn Border at front edge, work first set of Popcorn Clusters in this manner, increasing 1 St. at side edge on Row 7.

On Row 8 start second set of Popcorn Clusters as follows: K.20 K.4 K.8

Work 1 Popcorn in next St., K.19, work 1 Popcorn, K.11, work 8 Sts. in Popcorn Border.

Continue to increase 1 St. at side edge every ¾ inch 9 times more (adding 1 more Popcorn Cluster on Sizes 14 and 16 where possible).

Sts. on Needle: 69 Sts. 73 Sts. 77 Sts.

When work measures same as Back to underarm,

To Shape Armhole: Bind off 10 Sts. at side edge, then decrease 1 St. every other row 7 times, at the same time on fifth decreasing row decrease 1 St. inside of Front Border, then every fourth row 17 times more, and work increases at armhole edge same as for Back.

Sts. on Needle: 44 Sts. 48 Sts. 52 Sts.

When armhole measures same as at Back,

To Shape Shoulders: Bind off

9 Sts. 10 Sts. 11 Sts.

at side edge every other row 3 times, then bind off remaining

17 Sts. 18 Sts. 19 Sts.

LEFT FRONT: Work to correspond with Right Front, working 8 Border Sts. in Stockinette St. (P. side right side) for underlap until front edge measures 9 inches, then work in Popcorn Border St. to correspond with Right Front.

SLEEVES: Cast on

36 Sts. 40 Sts. 44 Sts.

P.1 row, then work in Popcorn Border St. for 14 rows.

Next row K., increasing 15 Sts. across row.

Sts. on Needle: 51 Sts. 55 Sts. 59 Sts.

P.1 row, then work as follows:

K.5 K.7 K.9

*work 1 Popcorn in next St., K.19, repeat from * once, ending work 1 Popcorn in next St.,

K.5 K.7 K.9

Work first set of Popcorn Clusters in this manner, increasing 1 St. each side on Row 7.

On Row 8 start second set of Popcorn Clusters as follows:

K.16 K.18 K.20

work 1 Popcorn in next St., K.19, work Popcorn in next St.,

K.16 K.18 K.20

Continue to increase 1 St. each side every ¾ inch 19 times more.

Sts. on Needle: 91 Sts. 95 Sts. 99 Sts.

When Sleeve measures 18 inches (or desired length) from start,

To Shape Cap of Sleeve: Bind off 10 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every fourth row

4 times 2 times .....

then every other row

21 times 25 times 29 times

bind off remaining Sts.

Neck Border at Back: Slip Sts. from St. Holder at back of neck and work in Popcorn Border St. deep enough to correspond with width of Border at Front.

Sew shoulder seams. Sew sleeves in place. Sew underarm and sleeve seams. Sew Blouse to Skirt, overlapping the 8 Border Sts. of Right Front. Sew 9 inch slide fastener in front opening. Crochet casing for elastic (see page 33) at inside of waist. Work 1 row of S. C. around lower edge of Skirt.

Another Famous Product — Lees Carpets

No. 7606

(continued from page 10)

To Shape Armholes: Bind off 8 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 7 times.

Sts. on Needle:	106 Sts.	114 Sts.	122 Sts.

When armhole measures 3 inches (measured straight from bound-off Sts. at underarm), increase 1 St. each side, then every inch 2 times more.

When armhole measures	7″	7¼″	7½″

To Shape Shoulders: Bind off

	9 Sts.	10 Sts.	11 Sts.

at beginning of each of the next 8 rows, bind off remaining 40 Sts. for back of neck.

Pocket Facing: With Red Wine cast on 40 Sts. Work in Stockinette St. for 6 inches. Slip Sts. on St. Holder.

LEFT FRONT: With Red Wine cast on

	78 Sts.	82 Sts.	86 Sts.

Work in Stripe Pattern, working decreases and increases at side edge to correspond with Back, at the same time when work measures 6 inches from start, insert Pocket Facing as follows: Starting at front edge

	P.16	P.18	P.20

bind off next 40 Sts., P. to end of row. On next row K. the Pocket Facing over the bound-off Sts.

When work measures same as Back to underarm,

To Shape Armhole: Bind off 8 Sts. at side edge, then decrease 1 St. every other row 7 times and at the same time when Front measures 17 inches from start, increase 1 St. at front edge, then every ¾ inch 6 times more and increase 1 St. at armhole edge 3 times to correspond with increases at Back.

Sts. on Needle:	75 Sts.	79 Sts.	83 Sts.

When armhole measures	6″	6¼″	6½″

To Shape Neck: Bind off 17 Sts. at front edge, work 1 inch even.

To Shape Shoulder: Bind off

	9 Sts.	10 Sts.	11 Sts.

at armhole edge every other row 4 times. On remaining 22 Sts. work even for 2½ inches (for Collar), bind off.

RIGHT FRONT: Work to correspond with Left Front, working first Buttonhole in center of third wide Red Wine Stripe (7 inches from start) as follows: K.3, bind off 6 Sts., K. to end of row, on next row cast on 6 Sts. over the bound-off Sts. Work 3 more Buttonholes 3 inches apart.

Sew shoulder seams, weave Sts. or sew seam at center of Collar.

Front Facing: (Worked in one piece, starting at lower edge of Left Front and ending at lower edge of Right Front). With Red Wine cast on 32 Sts. Work even in Stockinette St. for 17 inches, then increase 1 St. at front edge at end of P. row, then every ¾ inch 6 times more to correspond with increases of Left Front and at the same time increase 1 St. at inside edge, then every 1½ inches 4 times more. When Facing measures same as Left Front to neck edge,

To Shape Neck: Bind off 17 Sts. at front edge, work 1 inch even. Bind off 5 Sts. at inside edge. On remaining 22 Sts. work even for 5 inches (to fit across Collar, starting Right Front Facing). Cast on 5 Sts. at end of next K. row. Work even for 1 inch, cast on 17 Sts. at end of next P. row, then decrease each side to correspond with increases of Left Front Facing and work Buttonholes to correspond with Right Front. When Facing measures same as Front, bind off.

SLEEVES: With Red Wine cast on

	64 Sts.	68 Sts.	72 Sts.

Work in Stripe Pattern, increasing 1 St. each side every ¾ inch 21 times. When Sleeve measures 17 inches or desired length to underarm (be sure to start Cap at same part of Stripe Pattern as armhole),

To Shape Cap of Sleeve: Bind off 8 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row

	23 times	25 times	27 times

then bind off 2 Sts. at beginning of each of the next 8 rows. Bind off remaining Sts.

CUFFS: With Red Wine cast on

	64 Sts.	68 Sts.	72 Sts.

Work in Stockinette St., increasing 1 St. each side every fourth row 6 times. When work measures 2¼ inches from start, bind off. Make 3 more pieces the same. Sew 2 pieces together for each Cuff.

POCKET TABS: With Red Wine cast on 40 Sts. Work in Stockinette St., increasing 1 St. each side every fourth row 6 times. When work measures 2¼ inches from start, bind off. Make 3 more pieces the same. Sew 2 pieces together for each Tab.

Sew Sleeves in place, sew underarm and sleeve seams. Sew Pocket Facings to inside of Fronts. Sew Front Facings in place, overcast Buttonholes. Sew Pocket Tabs over pocket openings. Sew Cuffs to Sleeves. Work 1 row of S. C. across pocket edge and 2 rows across lower edge of Jacket, matching color.



No. 7607

(continued from page 12)

FRONT: Work same as Back until work measures

	8½″	8½″	9½″	9½″

from separation of Sts. *(continued on page 30)*

Another Famous Product — Lees Carpets

No. 7607 *(continued from page 29)*

To Shape Neck: Bind off

36 Sts. 36 Sts. 38 Sts. 38 Sts.

at center, then work each Shoulder separately (having 2 Flowers each side) and increase at armhole edge to correspond with Back.

To Shape Shoulder: Bind off

20 Sts. 21 Sts. 22 Sts. 23 Sts.

at side edge every other row 3 times.

Sew shoulder seams. Sew underarm seams, starting from marker. Work 2 rows of S. C. around lower edge of Skirt, armhole edge and neck edge. Crochet casing for elastic at inside of waist (casing see page 33).

Key to Chart No. 7607

China Turquoise O Mexicana

X California Citron



No. 7608

(continued from page 14)

SLEEVES: With Tropic Pink cast on

48 Sts. 52 Sts. 56 Sts.

Work in Ribbing of K.1, P.1, for 4 rows. Change to Stockinette St., increasing 1 St. each side every inch 17 times.

Sts. on Needle: 82 Sts. 86 Sts. 90 Sts.

When Sleeve measures 18 inches (or desired length) from start,

To Shape Cap of Sleeve: Bind off 6 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every fourth row

8 times 9 times 10 times

every other row 7 times, then bind off 2 Sts. at beginning of each of the next 10 rows. Bind off remaining Sts.

Sew shoulder seams, sew sleeves in place. Sew sleeve and underarm seams, leaving 4 inches open on left side for placket. Sew Blouse to Skirt. Sew slide fastener in placket. Sew cast-on Sts. of underlap in place. Work 2 rows of S. C. around lower edge of Skirt, neck opening and Collar.

No. 7609

(continued from page 16)

To Shape Shoulders: Bind off

11 Sts. 12 Sts. 13 Sts.

at beginning of each of the next 8 rows. Bind off remaining Sts. for back of neck.

LEFT FRONT: With Malabar cast on

92 Sts. 96 Sts. 100 Sts.

Work even in Pattern St. for 1 inch, decrease 1 St. at side edge, then every ¾ inch 7 times more.

Sts. on Needle: 84 Sts. 88 Sts. 92 Sts.

When work measures 8 inches from start, increase 1 St. at side edge, then every ½ inch 11 times more.

Sts. on Needle: 96 Sts. 100 Sts. 104 Sts.

When work measures same as at Back to underarm,

To Shape Armhole: Bind off 10 Sts. at side edge, then decrease 1 St. at same edge every other row 8 times.

Sts. on Needle: 78 Sts. 82 Sts. 86 Sts.

When armhole measures

3½″ 4″ 4½″

increase 1 St. at armhole edge, then every inch 3 times more, at the same time when front edge measures

21½″ 22″ 22½″

To Shape Neck: Bind off 12 Sts. at front edge. Work even until armhole measures same as at Back.

To Shape Shoulder: Bind off

11 Sts. 12 Sts. 13 Sts.

at side edge every other row 4 times. Bind off remaining Sts. for lapel.

RIGHT FRONT: Work to correspond with Left Front, working first set of Double Buttonholes 7½ inches from start as follows: Work 3 Sts. from front edge, bind off 3 Sts., work 12 Sts., bind off 3 Sts., work to end of row. Next row cast on 3 Sts. over the bound-off Sts. Work 4 more sets of Double Buttonholes about

3¼″ 3¼″ 3½″

apart.

Right Front Facing: With Malabar cast on 36 Sts. Work in Stockinette St., working 5 sets of Double Buttonholes at front edge to correspond with Right Front, at the same time when work measures 14 inches, increase 1 St. at inside edge, then every inch 5 times more.

When Facing measures

21½″ 22″ 22½″

bind off 12 Sts. at front edge. Work remaining Sts. until Facing measures same as Right Front, bind off.

Work Left Front Facing to correspond, omitting Buttonholes.

(continued on page 31)

No. 7609 *(continued from page 30)*

Pocket Tab: (Make 2) With Malabar cast on 34 Sts. Work even in Stockinette St. for 4 rows, then decrease 1 St. at beginning of every row until 2 Sts. remain. Bind off.

SLEEVES: With Malabar cast on

84 Sts. 88 Sts. 92 Sts.

Work in Pattern St. for 1 inch, then increase 1 St. each side, then every ¾ inch 17 times more. Work even until Sleeve measures 18 inches (or desired length).

To Shape Cap of Sleeve: Bind off 10 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row

18 times 20 times 22 times

then bind off 2 Sts. at beginning of each of the next 18 rows. Bind off remaining Sts.

Sew shoulder seams, sew Sleeves in place, sew underarm and sleeve seams. Sew Front Facings in place (sewing around Buttonholes). Turn down corners at neck edge to form Lapel. Sew Pocket Tabs in place as illustrated. Sew narrow ribbon inside of Jacket at waistline. With Malabar work 2 rows of S. C. around edge of Sleeves, across back of neck, Pocket Tabs and lower edge of Jacket.

No. 7610

(continued from page 18)

Row 2—P.8, work Ribbing on 25 Sts., P. across to last 33 Sts., work Ribbing on 25 Sts., P.8.

Work Ribbing each side for 3 inches, then work all Sts. in Stockinette St., at the same time increase at each side and shape armhole same as for Back (omitting opening).

When armhole measures 5½ inches,

To Shape Neck:

K.44 K.47 K.50

slip these Sts. on St. Holder, bind off

16 Sts. 18 Sts. 20 Sts.

on remaining Sts. work as follows: Decrease 1 St. at neck edge every other row 8 times.

When armhole measures same as at Back,

To Shape Shoulder: Bind off

12 Sts. 13 Sts. 14 Sts.

at armhole edge every other row 3 times.

Work Left Shoulder to correspond.

SLEEVES: Cast on

76 Sts. 80 Sts. 84 Sts.

Work in Stockinette St. for 1 inch even. Increase 1 St. each side, then every fourth row 11 times more.

Sts. on Needle: 100 Sts. 104 Sts. 108 Sts.

When Sleeve measures 6 inches (or desired length to underarm),

To Shape Cap of Sleeve: Bind off 6 Sts. at beginning of each of the next 2 rows. Decrease 1 St. each side every other row

28 times 30 times 32 times

then bind off 2 Sts. at beginning of each of the next 6 rows. Bind off remaining 20 Sts.

COLLAR: Starting at inner edge, cast on

100 Sts. 104 Sts. 108 Sts.

K. 1 row, P. 1 row.

Next row

K.50 K.52 K.54

turn (leave other half of Sts. on needle), P.2 together, P. to end of row, turn.

K.49 K.51 K.53

turn, bind off 2 Sts., P. to end of row.

K.47 K.49 K.51

turn, bind off 3 Sts., P. to end of row.

Shape outside edge (at beginning of K. rows) in same manner, bind off.

Work other half of Collar to correspond.

CUFFS: With Dark Color cast on

76 Sts. 80 Sts. 84 Sts.

K. 1 row, P. 1 row, then shape at center same as for Collar (keeping outside edges straight) until Cuff measures same as Collar from start, bind off.

BELT: With Dark Color cast on

221 Sts. 233 Sts. 245 Sts.

Work in Stockinette St., increasing 1 St. at beginning of each row 8 times, then decrease 1 St. at beginning of each row 8 times, bind off loosely. Face Belt with grosgrain ribbon.

Sew shoulder seams, sew Sleeves in place. Sew sleeve and underarm seams, leaving 4 inches open at left side for placket. Sew Collar and Cuffs in place. Sew Blouse to Skirt, gathering in fullness. Sew slide fastener in placket and back opening.

Trimming: On right side of work with Light Color and Crochet Hook work 1 row of Slip St. at edge of Collar, Cuffs and Skirt, then with Dark Color work 1 row of Slip St. over Light Color edge.

Polka Dots: With Light Color and Crochet Hook work ½ inch Polka Dots by working Slip St. around in circle (about 3 rows). Place as illustrated.

APPROXIMATE YARN AMOUNTS TO BE SUBSTITUTED FOR NUMBER OF SKEINS OR BALLS USED IN ORIGINAL GARMENT

ORIGINAL GARMENT MADE IN							
MONTEREY (1 oz. skein—about 130 yards to a skein)					Number of Skeins		
					44	47	50
Sports Yarn (2 oz. ball—about 373 yards to a ball)					Number of Balls		
					16	17	18
Fingering Yarn (2 oz. skein—about 395 yards to a skein)					Number of Skeins		
					15	16	17

ORIGINAL GARMENT MADE IN							
VELVEEN (1 oz. ball—about 155 yards to a ball)	1	21	23	25	Number of Balls 30	33	36
Sports Yarn (2 oz. ball—about 373 yards to a ball)	1	9	10	11	Number of Balls 13	14	15
Fingering Yarn (2 oz. skein—about 395 yards to a skein)	1	9	9	10	Number of Skeins 12	13	14
Featherdown (1 oz. ball—about 256 yards to a ball)	1	13	14	16	Number of Balls 18	20	22

ORIGINAL GARMENT MADE IN							
STYLAINE (1 oz. ball—about 130 yards to a ball)				2	Number of Balls 27	30	33
Sports Yarn (2 oz. ball—about 373 yards to a ball)				1	Number of Balls 10	11	12
Fingering Yarn (2 oz. skein—about 395 yards to a skein)				1	Number of Skeins 9	10	11
Featherdown (1 oz. ball—about 256 yards to a ball)				1	Number of Balls 14	16	17

ORIGINAL GARMENT MADE IN							
SPORTS YARN (2 oz. ball—about 373 yards to a ball)	1	4	5	10	11	12	
Velveen (1 oz. ball—about 155 yards to a ball)	3	10	12	24	Number of Balls 27	29	
Stylaine (1 oz. ball—about 130 yards to a ball)	3	12	15	29	Number of Balls 32	35	
Monterey (1 oz. skein—about 130 yards to a skein)	3	12	15	29	Number of Skeins 32	35	

Printed in U. S. A.
Manz, Chicago-New York

General Instructions

ABBREVIATIONS USED IN KNITTING AND CROCHETING INSTRUCTIONS

K.—Knit	Tr. C.—Treble Crochet
P.—Purl	St.—Stitch
Ch.—Chain	Y. O.—Yarn Over
S. C.—Single Crochet	Slip St.—Slip Stitch
D. C.—Double Crochet	H. D. C.—Half Double Crochet

ASTERISKS (*-**): Star symbols indicate that work between them is to be repeated. When instructions call for repeating a given number of times, it is understood that this is in addition to the original. Thus, repeat 5 times more means 6 times in all.

GARTER STITCH: (Plain Knitting) K. every row.

RIB: 2 rows of Garter Stitch.

STOCKINETTE STITCH: K. 1 row, P. 1 row alternately. On Circular or Sock Needles knit continuously.

MOSS STITCH: K. 1 St., P. 1 St., on uneven number of Sts. On even number of Sts., K. 1 St., P. 1 St., across row; next row, P. 1 St., K. 1 St., across row.

TO INCREASE: K. 2 Sts. in 1 Stitch (Knitting 1 St. in the front and 1 St. in the back of same St.).

TO DECREASE: K. 2 Sts. together.

TO WORK EVEN: Work without increasing or decreasing.

BUTTONHOLES: Bind off the given number of stitches, this same number of stitches to be cast on on the next row directly over the bound-off stitches. Work around buttonholes in Buttonhole Stitch.

For Crocheted Buttonholes—Chain the desired number of stitches, skip the same number of stitches on previous row and on next row, work over the chain stitches.

FINISHING A NEW GARMENT

BLOCKING: Using rust-proof pins, pin each piece, wrong side out, on a pressing board in exactly the line you wish to retain. Use a damp cloth and moderately hot iron, press lightly, allowing the steam to go through the garment. Lay it on a flat surface until thoroughly dry.

JOINING: Sew pieces together, being careful that the edges meet evenly. Be careful to match rows wherever possible.

BEADING: Fasten yarn, chain 5, * skip 2 stitches, 1 double crochet in next stitch, chain 2, repeat from * around edge of garment.

CASING FOR ELASTIC (inside at waistline): Fasten yarn, * chain 5, skip 2 stitches, 1 slip stitch in stitch ½ inch below next stitch, chain 5, skip 2 stitches, 1 slip stitch in next stitch ½ inch above, repeat from *.

WASHING: Make suds in lukewarm water using mild alkali-free flakes such as *Ivory Soap Flakes*. For superior washing results, the addition of a good water normalizer, such as Calgon, to your soap and water is recommended. Likewise, for improved rinsing results, the addition of Calgon or some other good water normalizer is beneficial. Squeeze suds through fabric. Do not rub. Handle gently, do not lift out of water, as the weight of the wet garment will stretch it. Keep garment supported by the hands when squeezing out water. Rinse thoroughly three times in lukewarm normalized water. Squeeze out as much water as possible, do not twist or wring, and roll in dry turkish towels to absorb excess moisture. Shape garment according to measurements and lay it on a turkish towel on a flat surface until thoroughly dry. Ribbing should be eased in so that it will fit as snugly as when new. Never dry in sun or excessive heat.

This Is Important

DYE LOTS: Be sure to buy sufficient yarn at one time to complete your garment, making certain that each ball or skein has an identical set of dye lot letters, this is printed on the Band around the yarn, and is beside the color number.

GAUGE: Each Minerva Instruction gives a Gauge or Scale of the number of stitches to the inch when using the yarn and needles called for. If you work tighter than the average, change to larger needles; if you work looser, change to smaller needles, to acquire the same number of stitches to the inch called for in the instructions.

For complete satisfaction in the making of your hand-knitted garments illustrated in this book we recommend Minerva Yarns in the types specified. Also be sure and follow detailed instruction as to size of needles and gauge.

If you are unable to obtain Minerva Yarns in your local Art Needlework Department or Yarn Shop, write to James Lees and Sons Company, Bridgeport, Pennsylvania, and we will send you the name of the Minerva Dealer nearest you.

STANDARD BODY MEASUREMENTS

Sizes	12	14	16	18	20
Bust	30″	32″	34″	36″	38″
Waist	25″	26½″	28″	30″	32″
Hips	33″	35″	37″	39″	41″

ROYAL SCOT No. 7611

Instructions on page 20

JAMES LEES AND SONS CO.
Bridgeport, Pa.
Makers of fine Minerva Yarns